




Standardised monthly maximum temperature, Region: East Anglia




Recent




Probability plot



Annual



Normalising function




Low Rank	Date	Z	Actual	High Rank	Date	Z	Actual
1	1947.13	-3.64086	-0.2	1	2015.96	3.24282	12.7
2	1963.04	-3.18809	0.3	2	2006.54	3.0792	26.7
3	1986.13	-3.18127	0.9	3	2011.29	3.0221	17.8
4	1963.13	-3.01006	1.3	4	1938.21	2.93451	14.7
5	1956.13	-2.70429	2	5	1976.46	2.71774	24
5	1942.13	-2.70429	2	6	2007.29	2.53495	16.9
6	1940.04	-2.57775	1.7	7	1998.13	2.41899	11
7	1929.13	-2.57055	2.3	8	1990.13	2.36323	10.9
8	2010.96	-2.42257	2.8	9	1929.71	2.32045	22.5
9	1981.96	-2.28487	3.1	10	1997.63	2.26106	25.1
9	1950.96	-2.28487	3.1	11	1921.79	2.23338	18.1
10	2013.21	-2.27657	5.7	12	1990.63	2.20457	25
11	1941.04	-2.25865	2.4	13	1945.13	2.19442	10.6
11	1979.04	-2.25865	2.4	13	2002.13	2.19442	10.6
12	1919.88	-2.18482	5.8	14	1961.21	2.16337	13.3
13	1974.79	-2.17246	10.6	15	1911.63	2.14781	24.9
14	1933.96	-2.145	3.4	16	1943.29	2.14299	16.2
15	1942.04	-2.11835	2.7	17	2007.04	2.12847	9.9
15	1945.04	-2.11835	2.7	18	2006.71	2.094	22.1
15	1987.04	-2.11835	2.7	19	1975.63	2.09076	24.8


Met Office areal data 1910 onwards. Annual cycle removed, values, skew and kurtosis normalised. No reference period adjustment.

Analysis: Tim Channon. Web: <http://daedalearth.wordpress.com/>. Plot: 2016 Jan 05. Data: <http://www.metoffice.gov.uk/climate/uk/summaries/datasets>


Standardised monthly maximum temperature, Region: England




Recent



Probability plot



Annual




Low Rank	Date	Z	Actual	High Rank	Date	Z	Actual
1	1947.13	-3.64826	0.1	1	2015.96	3.09976	12.1
2	1963.04	-3.32711	0.4	2	2006.54	3.04819	25.2
3	1986.13	-3.1992	1.1	3	2011.29	3.02669	16.9
4	1963.13	-2.96811	1.6	4	2007.29	2.69636	16.3
5	1940.04	-2.67491	1.8	5	1995.63	2.6874	24.3
6	2010.96	-2.60708	2.7	6	1938.21	2.58468	13.3
7	1956.13	-2.53876	2.5	7	1947.63	2.5751	24.1
8	1942.13	-2.48984	2.6	8	1983.54	2.49333	24.2
9	1929.13	-2.39118	2.8	9	1921.79	2.35022	17.3
10	1941.04	-2.332	2.5	10	1998.13	2.34206	10.4
11	1950.96	-2.31171	3.3	11	2012.21	2.29898	12.8
11	1981.96	-2.31171	3.3	12	1911.54	2.2634	23.8
12	2013.21	-2.27857	5.5	13	1976.46	2.25571	22
13	1912.63	-2.23672	16.4	14	1921.54	2.20509	23.7
14	1919.88	-2.22622	5.7	15	1948.21	2.18245	12.6
15	1979.04	-2.18074	2.8	16	1916.04	2.17858	9.7
16	1979.13	-2.13933	3.3	17	1990.13	2.16751	10.1
16	1969.13	-2.13933	3.3	18	2013.54	2.14644	23.6
17	1917.04	-2.12967	2.9	19	1940.46	2.13867	21.8
18	1927.96	-2.10886	3.7	20	1911.63	2.11364	23.3


Met Office areal data 1910 onwards. Annual cycle removed, values, skew and kurtosis normalised. No reference period adjustment.

Analysis: Tim Channon. Web: <http://daedaleearth.wordpress.com/>. Plot: 2016 Jan 05. Data: <http://www.metoffice.gov.uk/climate/uk/summaries/datasets>


Standardised monthly maximum temperature, Region: England and Wales




Recent




Probability plot



Annual



Normalising function




Low Rank	Date	Z	Actual	High Rank	Date	Z	Actual
1	1947.13	-3.68678	0	1	2015.96	3.06171	12
2	1963.04	-3.34175	0.4	2	2011.29	3.05358	16.8
3	1986.13	-3.19727	1.1	3	2006.54	3.02404	24.9
4	1963.13	-2.9674	1.6	4	1995.63	2.77454	24.2
5	1940.04	-2.6458	1.9	5	2007.29	2.72543	16.2
6	2010.96	-2.62444	2.7	6	1947.63	2.60747	23.9
7	1956.13	-2.49053	2.6	7	1983.54	2.52666	24
8	1929.13	-2.39195	2.8	8	1938.21	2.49137	13
8	1942.13	-2.39195	2.8	9	1998.13	2.3239	10.3
9	1941.04	-2.35209	2.5	10	2012.21	2.31954	12.7
10	1950.96	-2.32996	3.3	11	1921.79	2.31735	17.1
11	1981.96	-2.27982	3.4	12	1948.21	2.26158	12.6
12	2013.21	-2.24557	5.5	13	1911.54	2.23961	23.5
13	1912.63	-2.24271	16.2	13	1921.54	2.23961	23.5
14	1919.88	-2.22505	5.7	14	1976.46	2.20766	21.7
15	1979.04	-2.20111	2.8	15	2013.54	2.18114	23.4
16	1933.96	-2.17854	3.6	16	1940.46	2.14899	21.6
17	1917.04	-2.1501	2.9	17	1990.13	2.14898	10
18	1979.13	-2.13995	3.3	18	1916.04	2.13731	9.6
18	1969.13	-2.13995	3.3	19	1911.63	2.0888	23


Met Office areal data 1910 onwards. Annual cycle removed, values, skew and kurtosis normalised. No reference period adjustment.

Analysis: Tim Channon. Web: <http://daedalearth.wordpress.com/>. Plot: 2016 Jan 05. Data: <http://www.metoffice.gov.uk/climate/uk/summaries/datasets>


Standardised monthly maximum temperature, Region: England E and NE




Recent




Probability plot



Annual



Normalising function




Low Rank	Date	Z	Actual	High Rank	Date	Z	Actual
1	1947.13	-3.55168	-0.1	1	2006.54	3.1553	24.3
2	1986.13	-3.0668	0.9	2	2015.96	3.09096	11.1
3	1963.13	-2.91837	1.2	3	2011.29	3.0111	15.8
4	1963.04	-2.70991	1.1	4	1938.21	2.848	12.8
5	2010.96	-2.62245	2	5	1998.13	2.73477	10.3
6	1940.04	-2.60853	1.3	6	2012.21	2.66485	12.5
7	1981.96	-2.57151	2.1	7	2007.29	2.52295	15
8	1929.13	-2.56573	1.9	8	1940.46	2.45975	21.3
9	1942.13	-2.46317	2.1	9	1916.04	2.43626	9.3
10	2013.21	-2.41887	4.5	10	1961.21	2.355	12
10	1969.21	-2.41887	4.5	11	1975.63	2.34792	22.7
11	1969.13	-2.41155	2.2	12	1995.63	2.28517	22.6
12	1950.96	-2.36559	2.5	13	2007.04	2.24834	9
13	1941.04	-2.35137	1.8	14	1921.79	2.21143	16.2
14	1916.21	-2.315	4.7	15	1976.46	2.20905	20.9
15	1979.04	-2.29924	1.9	16	1945.21	2.16605	11.7
16	1947.21	-2.26271	4.8	17	1947.63	2.15888	22.4
17	1956.13	-2.25529	2.5	18	2006.71	2.14091	19.9
18	1979.13	-2.2027	2.6	19	1945.13	2.11152	9.3
19	1919.88	-2.16333	5.1	20	1948.21	2.10252	11.6


Met Office areal data 1910 onwards. Annual cycle removed, values, skew and kurtosis normalised. No reference period adjustment.

Analysis: Tim Channon. Web: <http://daedalearth.wordpress.com/>. Plot: 2016 Jan 05. Data: <http://www.metoffice.gov.uk/climate/uk/summaries/datasets>


Standardised monthly maximum temperature, Region: England N




Recent




Probability plot



Annual



Normalising function




Low Rank	Date	Z	Actual	High Rank	Date	Z	Actual
1	1947.13	-3.58011	-0.2	1	2006.54	3.20128	24.1
2	1986.13	-3.04275	0.9	2	2015.96	3.01856	11
3	1963.13	-2.84209	1.3	3	2011.29	3.00267	15.7
4	1963.04	-2.83111	0.9	4	1998.13	2.61717	10
5	1940.04	-2.72948	1.1	5	2012.21	2.57099	12.2
6	2010.96	-2.64686	2	6	1947.63	2.56197	22.7
7	1981.96	-2.59536	2.1	6	1995.63	2.56197	22.7
8	1929.13	-2.43052	2.1	7	1940.46	2.53766	21.3
9	1941.04	-2.41914	1.7	8	2007.29	2.53087	14.9
10	1969.21	-2.41865	4.4	9	1938.21	2.51106	12.1
11	1969.13	-2.37798	2.2	10	1916.04	2.38981	9.2
11	1942.13	-2.37798	2.2	11	1975.63	2.38124	22.4
12	2013.21	-2.36605	4.5	12	1948.21	2.20719	11.6
13	1950.96	-2.33416	2.6	13	2007.04	2.20662	8.9
14	1916.21	-2.31319	4.6	14	1983.54	2.19326	22.4
15	1979.04	-2.26054	2	14	2013.54	2.19326	22.4
16	1947.21	-2.26004	4.7	15	1921.79	2.17059	15.9
17	1956.13	-2.21873	2.5	16	2006.71	2.16011	19.6
18	1919.88	-2.18788	5	17	1961.21	2.14552	11.5
19	1979.13	-2.16507	2.6	18	1997.63	2.13619	22


Met Office areal data 1910 onwards. Annual cycle removed, values, skew and kurtosis normalised. No reference period adjustment.

Analysis: Tim Channon. Web: <http://daedalearth.wordpress.com/>. Plot: 2016 Jan 05. Data: <http://www.metoffice.gov.uk/climate/uk/summaries/datasets>


Standardised monthly maximum temperature, Region: England NW and N Wales




Recent




Probability plot



Annual



Normalising function




Low Rank	Date	Z	Actual	High Rank	Date	Z	Actual
1	1947.13	-3.69731	-0.1	1	2006.54	3.09546	23.4
2	1963.04	-3.1373	0.8	2	1995.63	2.98123	22.9
3	1986.13	-3.00968	1.3	3	1947.63	2.92579	22.8
4	1963.13	-2.75373	1.8	4	2011.29	2.86851	15.4
5	2010.96	-2.65446	2.5	5	2015.96	2.85638	11.1
6	1940.04	-2.62528	1.8	6	2007.29	2.64285	15
7	1941.04	-2.57262	1.9	7	1983.54	2.5342	22.4
8	1981.96	-2.54917	2.7	8	1948.21	2.52169	12.1
9	1950.96	-2.3349	3.1	9	1940.46	2.44194	20.8
10	1969.13	-2.27535	2.7	10	2012.21	2.40568	11.9
11	1915.88	-2.27277	5.2	11	1998.13	2.3466	9.7
12	1916.21	-2.22005	4.9	12	2013.54	2.30109	22
13	1919.88	-2.21797	5.3	13	1976.63	2.23744	21.6
14	1912.63	-2.21226	14.9	14	1916.04	2.19645	9.2
15	1979.04	-2.19512	2.6	15	1955.54	2.18237	21.8
16	1927.96	-2.17063	3.4	16	1975.63	2.17787	21.5
17	1929.13	-2.16541	2.9	16	1955.63	2.17787	21.5
17	1956.13	-2.16541	2.9	17	1957.21	2.1694	11.5
18	2013.21	-2.16489	5	18	1921.79	2.16714	15.8
18	1969.21	-2.16489	5	19	1997.63	2.1179	21.4


Met Office areal data 1910 onwards. Annual cycle removed, values, skew and kurtosis normalised. No reference period adjustment.

Analysis: Tim Channon. Web: <http://daedalearth.wordpress.com/>. Plot: 2016 Jan 05. Data: <http://www.metoffice.gov.uk/climate/uk/summaries/datasets>


Standardised monthly maximum temperature, Region: England S




Recent




Probability plot



Annual



Normalising function




Low Rank	Date	Z	Actual	High Rank	Date	Z	Actual
1	1947.13	-3.68049	0.2	1	2015.96	3.08379	12.6
2	1963.04	-3.50101	0.2	2	2011.29	3.05073	17.6
3	1986.13	-3.25234	1.2	3	2006.54	2.95945	25.8
4	1963.13	-2.98743	1.8	4	2007.29	2.73211	17
5	1956.13	-2.66927	2.5	5	1995.63	2.69802	25.1
6	1940.04	-2.61196	2.2	6	1938.21	2.58426	13.9
7	2010.96	-2.5891	3	7	1983.54	2.58375	25.1
8	1942.13	-2.48238	2.9	8	1947.63	2.5347	24.8
9	1929.13	-2.38737	3.1	9	1921.54	2.41861	24.8
10	1933.96	-2.35259	3.5	9	1911.54	2.41861	24.8
11	1950.96	-2.30445	3.6	10	1921.79	2.39239	18
12	1941.04	-2.27981	2.9	11	1976.46	2.38609	22.9
13	1912.63	-2.22017	17	12	1929.71	2.33765	21.9
14	1919.88	-2.20358	6.1	13	1911.63	2.25654	24.3
15	1987.04	-2.18232	3.1	14	1990.13	2.23041	10.7
15	1917.04	-2.18232	3.1	14	1998.13	2.23041	10.7
16	2013.21	-2.17583	6.1	15	1948.21	2.19458	13.2
17	1981.96	-2.15821	3.9	16	2012.21	2.1376	13.1
18	1979.04	-2.13309	3.2	17	1976.54	2.13707	24.3
18	1945.04	-2.13309	3.2	18	2003.63	2.0857	24


Met Office areal data 1910 onwards. Annual cycle removed, values, skew and kurtosis normalised. No reference period adjustment.

Analysis: Tim Channon. Web: <http://daedalearth.wordpress.com/>. Plot: 2016 Jan 05. Data: <http://www.metoffice.gov.uk/climate/uk/summaries/datasets>


Standardised monthly maximum temperature, Region: England SE and Central S




Recent




Probability plot



Annual



Normalising function




Low Rank	Date	Z	Actual	High Rank	Date	Z	Actual
1	1963.04	-3.64909	-0.1	1	2011.29	3.16737	18.2
2	1947.13	-3.57952	0.5	2	2015.96	3.04352	12.8
3	1986.13	-3.23507	1.3	3	2007.29	2.90657	17.7
4	1963.13	-3.01473	1.8	4	2006.54	2.85826	26.1
5	1956.13	-2.78994	2.3	5	1995.63	2.75654	25.7
6	1940.04	-2.63617	2.2	6	1983.54	2.64481	25.7
7	1942.13	-2.56012	2.8	7	1947.63	2.59543	25.4
8	2010.96	-2.49627	3.3	8	1938.21	2.52584	14.1
8	1933.96	-2.49627	3.3	9	1929.71	2.50992	22.7
9	1929.13	-2.4195	3.1	10	1921.79	2.48315	18.6
10	1950.96	-2.30693	3.7	11	1911.54	2.48213	25.4
11	1912.63	-2.28024	17.2	12	1976.46	2.4113	23.4
12	1987.04	-2.25939	3	13	2003.63	2.32173	24.9
13	1917.04	-2.21113	3.1	14	1911.63	2.26614	24.8
14	1919.88	-2.18917	6.3	15	1921.54	2.26141	25
15	1974.79	-2.18688	10.8	16	1990.13	2.21448	10.9
16	1945.04	-2.16257	3.2	17	1976.54	2.2055	24.9
16	1941.04	-2.16257	3.2	18	2012.21	2.19438	13.5
17	2013.21	-2.09984	6.4	19	1948.21	2.1381	13.4
18	1985.04	-2.06456	3.4	20	2002.13	2.04502	10.6


Met Office areal data 1910 onwards. Annual cycle removed, values, skew and kurtosis normalised. No reference period adjustment.

Analysis: Tim Channon. Web: <http://daedalearth.wordpress.com/>. Plot: 2016 Jan 05. Data: <http://www.metoffice.gov.uk/climate/uk/summaries/datasets>


Standardised monthly maximum temperature, Region: England SW and S Wales




Recent




Probability plot



Annual



Normalising function




Low Rank	Date	Z	Actual	High Rank	Date	Z	Actual
1	1963.04	-3.73302	0.4	1	1995.63	3.11536	24.2
2	1947.13	-3.6227	0.8	2	2007.29	2.96414	16.5
3	1986.13	-3.28397	1.6	2	2011.29	2.96414	16.5
4	1963.13	-2.83739	2.6	3	1983.54	2.92259	24
5	2010.96	-2.63788	3.7	4	1947.63	2.80881	23.6
6	1956.13	-2.60226	3.1	5	2015.96	2.74602	12.1
7	1933.96	-2.5418	3.9	6	2006.54	2.66108	23.5
8	1917.04	-2.44086	3.3	7	1921.54	2.49928	23.2
9	1940.04	-2.39135	3.4	8	1976.63	2.43353	22.9
10	1972.46	-2.38666	14.2	9	2013.54	2.38914	23
11	1912.63	-2.33477	15.7	10	1921.79	2.37392	17.2
12	1950.96	-2.29433	4.4	11	1911.54	2.33334	22.9
13	1919.88	-2.29194	6.4	12	1948.21	2.29143	12.7
14	1941.04	-2.24009	3.7	13	1955.63	2.26582	22.6
14	1987.04	-2.24009	3.7	14	1934.54	2.22021	22.7
15	1929.13	-2.10123	4.1	14	1989.54	2.22021	22.7
15	1942.13	-2.10123	4.1	15	1911.63	2.20888	22.5
16	1945.04	-2.08434	4	16	2012.21	2.1775	12.5
17	1954.54	-2.0669	16.4	17	1959.71	2.15902	20.3
18	1979.13	-2.0484	4.2	17	1929.71	2.15902	20.3


Met Office areal data 1910 onwards. Annual cycle removed, values, skew and kurtosis normalised. No reference period adjustment.

Analysis: Tim Channon. Web: <http://daedalearth.wordpress.com/>. Plot: 2016 Jan 05. Data: <http://www.metoffice.gov.uk/climate/uk/summaries/datasets>


Standardised monthly maximum temperature, Region: Midlands




Recent




Probability plot



Annual



Normalising function




Low Rank	Date	Z	Actual	High Rank	Date	Z	Actual
1	1947.13	-3.66601	-0.5	1	2015.96	3.05629	12.1
2	1963.04	-3.26182	0	2	2006.54	3.05011	25.7
3	1986.13	-3.15061	0.7	3	2011.29	2.98626	17.2
4	1963.13	-2.92911	1.2	4	1995.63	2.77566	24.8
5	1940.04	-2.72793	1.2	5	1938.21	2.63477	13.6
6	2010.96	-2.60012	2.2	6	1983.54	2.5879	24.8
7	1941.04	-2.45019	1.8	7	2007.29	2.57405	16.4
8	1981.96	-2.41332	2.6	8	1947.63	2.56762	24.4
9	1956.13	-2.37719	2.4	9	1921.54	2.42954	24.5
9	1942.13	-2.37719	2.4	10	1998.13	2.37016	10.5
9	1929.13	-2.37719	2.4	11	1911.54	2.32262	24.3
10	2013.21	-2.28146	5.2	12	1921.79	2.29164	17.2
11	1950.96	-2.27061	2.9	13	2012.21	2.26313	12.9
12	1969.13	-2.23387	2.7	14	1975.63	2.24781	23.8
13	1927.96	-2.2225	3	15	1976.46	2.20635	22.3
14	1979.04	-2.21202	2.3	16	1916.04	2.17861	9.7
15	1912.63	-2.19879	16.3	17	2013.54	2.16007	24
16	1916.21	-2.18508	5.4	17	1976.54	2.16007	24
17	1979.13	-2.13692	2.9	18	1948.21	2.1544	12.7
18	1919.88	-2.12955	5.4	19	1911.63	2.13891	23.6


Met Office areal data 1910 onwards. Annual cycle removed, values, skew and kurtosis normalised. No reference period adjustment.

Analysis: Tim Channon. Web: <http://daedalearth.wordpress.com/>. Plot: 2016 Jan 05. Data: <http://www.metoffice.gov.uk/climate/uk/summaries/datasets>


Standardised monthly maximum temperature, Region: Northern Ireland




Recent




Probability plot



Annual



Normalising function




Low Rank	Date	Z	Actual	High Rank	Date	Z	Actual
1	1947.13	-3.73922	1.5	1	1995.63	3.12738	22.1
2	2010.96	-3.13051	2.8	2	2011.29	3.08153	15.5
3	1963.04	-3.06639	2.3	3	1947.63	3.06806	22
4	1986.13	-2.85875	3.1	4	2007.29	2.90158	15.2
5	1950.96	-2.67103	3.6	5	2013.54	2.84252	21.8
6	1963.13	-2.56506	3.6	6	2006.54	2.78134	21.7
7	1969.13	-2.505	3.7	7	1983.54	2.59515	21.4
8	1947.21	-2.49589	5.5	8	1989.54	2.46867	21.2
9	1941.04	-2.48335	3.3	9	1998.13	2.45603	10.3
10	1912.63	-2.4479	14.5	10	2012.21	2.40163	12
11	2013.21	-2.43527	5.6	11	2008.38	2.3615	17.3
12	1945.04	-2.3614	3.5	12	1948.21	2.33707	11.9
13	1916.21	-2.3125	5.8	12	1938.21	2.33707	11.9
14	1981.96	-2.30841	4.2	13	1976.63	2.32359	20.8
15	1955.13	-2.25973	4.1	14	1940.46	2.24785	19.6
16	1958.21	-2.25031	5.9	15	1916.04	2.15377	9.4
17	1976.96	-2.24619	4.3	16	2015.96	2.14435	10
18	1979.04	-2.23733	3.7	17	1955.54	2.1431	20.7
19	1937.21	-2.18755	6	18	1955.63	2.12612	20.5
20	1918.71	-2.15715	12.9	19	1961.21	2.07304	11.5


Met Office areal data 1910 onwards. Annual cycle removed, values, skew and kurtosis normalised. No reference period adjustment.

Analysis: Tim Channon. Web: <http://daedalearth.wordpress.com/>. Plot: 2016 Jan 05. Data: <http://www.metoffice.gov.uk/climate/uk/summaries/datasets>


Standardised monthly maximum temperature, Region: Scotland




Recent




Probability plot



Annual



Normalising function




Low Rank	Date	Z	Actual	High Rank	Date	Z	Actual
1	1947.13	-3.54406	0.2	1	1947.63	3.21403	20.7
2	2010.96	-2.83126	1.7	2	2011.29	3.0231	13.6
3	1981.96	-2.70193	1.9	3	2012.21	2.94337	10.9
4	1919.88	-2.69213	3.7	4	2007.29	2.81796	13.3
5	1947.21	-2.6375	3.4	5	1995.63	2.80563	20.1
6	1986.13	-2.59008	1.7	6	2006.54	2.75884	20.3
7	1941.04	-2.58699	1.4	7	1940.46	2.67928	18.8
8	1963.04	-2.52147	1.5	8	1998.13	2.64918	8.7
9	1916.21	-2.44071	3.7	9	1989.04	2.58292	8.3
10	1950.96	-2.44009	2.3	10	2011.88	2.47015	10.6
11	1955.13	-2.39266	2	11	1948.21	2.4589	10.2
12	1940.04	-2.38954	1.7	12	1955.54	2.41048	19.8
13	1963.13	-2.32626	2.1	12	2013.54	2.41048	19.8
14	1910.88	-2.29735	4.3	13	1932.04	2.30185	7.9
15	1969.13	-2.25954	2.2	14	2003.21	2.24691	9.9
16	1945.04	-2.25639	1.9	14	1938.21	2.24691	9.9
17	1937.21	-2.24123	4	14	1929.21	2.24691	9.9
18	1976.96	-2.2406	2.6	15	1997.63	2.24624	19.3
19	1923.38	-2.21974	9.8	16	1916.04	2.23079	7.8
20	1917.79	-2.21087	8	17	2003.29	2.18773	12.4


Met Office areal data 1910 onwards. Annual cycle removed, values, skew and kurtosis normalised. No reference period adjustment.

Analysis: Tim Channon. Web: <http://daedalearth.wordpress.com/>. Plot: 2016 Jan 05. Data: <http://www.metoffice.gov.uk/climate/uk/summaries/datasets>


Standardised monthly maximum temperature, Region: Scotland E




Recent




Probability plot



Annual



Normalising function




Low Rank	Date	Z	Actual	High Rank	Date	Z	Actual
1	1947.13	-3.49593	-0.6	1	2012.21	3.30828	11.7
2	1947.21	-2.8624	2.5	2	2011.29	3.06659	14.1
3	2010.96	-2.81362	0.9	3	2007.29	2.88249	13.8
4	1986.13	-2.65756	0.9	4	2006.54	2.85452	21.4
5	1941.04	-2.59492	0.6	5	1998.13	2.73208	8.8
6	1981.96	-2.58399	1.3	6	1940.46	2.70617	19.6
7	1919.88	-2.54623	3.3	7	1947.63	2.68554	20.7
8	1916.21	-2.51771	3.1	7	1995.63	2.68554	20.7
9	1963.13	-2.42504	1.3	8	1938.21	2.63291	10.6
10	1940.04	-2.42005	0.9	9	1989.04	2.54916	8.1
10	1963.04	-2.42005	0.9	10	1916.04	2.42223	7.9
11	1937.21	-2.40065	3.3	11	2013.54	2.41501	20.7
12	1950.96	-2.35003	1.7	12	1955.54	2.35105	20.6
13	1955.13	-2.30704	1.5	13	2003.21	2.31531	10.1
14	2013.21	-2.2824	3.5	14	2011.88	2.28375	10.3
14	1958.21	-2.2824	3.5	15	1945.21	2.25085	10
15	1965.54	-2.24926	14	15	1929.21	2.25085	10
16	1969.13	-2.24758	1.6	15	1961.21	2.25085	10
17	1912.63	-2.23237	13.6	15	1948.21	2.25085	10
18	1945.04	-2.18268	1.3	16	2015.96	2.24172	8.3


Met Office areal data 1910 onwards. Annual cycle removed, values, skew and kurtosis normalised. No reference period adjustment.

Analysis: Tim Channon. Web: <http://daedalearth.wordpress.com/>. Plot: 2016 Jan 05. Data: <http://www.metoffice.gov.uk/climate/uk/summaries/datasets>


Standardised monthly maximum temperature, Region: Scotland N




Recent




Probability plot



Annual



Normalising function




Low Rank	Date	Z	Actual	High Rank	Date	Z	Actual
1	1947.13	-3.48161	0.4	1	1947.63	3.31144	20
2	2010.96	-2.77112	1.8	2	2011.29	2.95229	12.9
3	1919.88	-2.74414	3.5	3	2007.29	2.73738	12.6
4	1955.13	-2.65444	1.6	4	2006.54	2.71702	19.3
5	1981.96	-2.63129	2	5	2012.21	2.70887	10.2
6	1947.21	-2.5139	3.4	6	1995.63	2.67011	19.1
7	1923.38	-2.48196	8.9	7	1948.21	2.63675	10.1
8	1945.04	-2.48062	1.6	8	2011.88	2.6163	10.5
9	1916.21	-2.4433	3.5	9	1989.04	2.59856	8.2
10	1950.96	-2.41993	2.3	10	1998.13	2.56442	8.4
11	1917.29	-2.41526	5.9	11	1997.63	2.52543	18.9
12	1963.04	-2.40991	1.7	12	1940.46	2.47266	17.6
13	1941.04	-2.40991	1.7	13	2003.29	2.44794	12.2
14	1910.88	-2.39253	4	14	1970.46	2.39981	17.5
15	1917.79	-2.39052	7.4	15	2003.21	2.34606	9.7
16	1937.21	-2.37246	3.6	16	2006.71	2.32397	16.5
17	1986.13	-2.37246	2	17	1932.04	2.30739	7.8
18	1981.79	-2.31951	7.5	18	1929.21	2.2728	9.6
19	1969.13	-2.30138	2.1	19	2008.38	2.23261	15
20	1976.96	-2.27786	2.5	20	1955.54	2.20762	18.6


Met Office areal data 1910 onwards. Annual cycle removed, values, skew and kurtosis normalised. No reference period adjustment.

Analysis: Tim Channon. Web: <http://daedalearth.wordpress.com/>. Plot: 2016 Jan 05. Data: <http://www.metoffice.gov.uk/climate/uk/summaries/datasets>


Standardised monthly maximum temperature, Region: Scotland W




Recent




Probability plot



Annual



Normalising function




Low Rank	Date	Z	Actual	High Rank	Date	Z	Actual
1	1947.13	-3.57671	0.7	1	1947.63	3.57728	21.8
2	2010.96	-2.86049	2.3	2	1995.63	2.97759	20.9
3	1981.96	-2.79641	2.4	3	1940.46	2.88469	19.8
4	1986.13	-2.76064	2	4	2011.29	2.8654	14
5	1963.04	-2.70711	1.8	5	2012.21	2.70578	11.1
5	1940.04	-2.70711	1.8	6	2006.54	2.66807	20.7
6	1941.04	-2.64237	1.9	7	2007.29	2.6596	13.7
7	1963.13	-2.56626	2.3	8	1955.54	2.59891	20.6
8	1919.88	-2.54963	4.6	9	1998.13	2.49656	9
9	1947.21	-2.49964	4.2	10	2013.54	2.38952	20.3
10	1950.96	-2.40592	3	11	1989.04	2.34435	8.5
11	1910.88	-2.35225	4.9	12	2011.88	2.30371	11
12	1976.96	-2.27321	3.2	13	1955.63	2.28568	19.9
13	1969.13	-2.23603	2.8	14	2015.96	2.24621	9.1
14	1927.96	-2.20632	3.3	15	1948.21	2.21602	10.4
15	1979.04	-2.18035	2.6	16	1976.63	2.21468	19.8
16	1929.13	-2.16893	2.9	17	2008.38	2.20594	16.4
17	1916.21	-2.16766	4.7	17	1959.38	2.20594	16.4
18	1917.29	-2.14542	7.4	18	1916.04	2.20259	8.3
19	1945.04	-2.11293	2.7	19	2003.29	2.16825	13


Met Office areal data 1910 onwards. Annual cycle removed, values, skew and kurtosis normalised. No reference period adjustment.

Analysis: Tim Channon. Web: <http://daedalearth.wordpress.com/>. Plot: 2016 Jan 05. Data: <http://www.metoffice.gov.uk/climate/uk/summaries/datasets>


Standardised monthly maximum temperature, Region: UK




Recent




Probability plot



Annual



Normalising function




Low Rank	Date	Z	Actual	High Rank	Date	Z	Actual
1	1947.13	-3.70822	0.1	1	2011.29	3.11887	15.7
2	1963.04	-3.14207	0.9	2	2006.54	2.98767	23.2
3	1986.13	-3.06447	1.4	3	1995.63	2.83914	22.7
4	1963.13	-2.80643	1.9	3	1947.63	2.83914	22.7
5	2010.96	-2.73961	2.4	4	2007.29	2.82213	15.2
6	1940.04	-2.56965	2	5	2015.96	2.82213	10.7
7	1981.96	-2.47243	2.9	6	2012.21	2.57895	12.1
8	1941.04	-2.46168	2.2	7	1998.13	2.50033	9.8
9	1950.96	-2.418	3	8	1938.21	2.45521	11.9
10	1919.88	-2.38341	5.1	9	1948.21	2.39277	11.8
11	1912.63	-2.29235	15.2	10	1940.46	2.38095	20.6
12	1969.13	-2.26772	2.9	11	1983.54	2.37858	22.2
12	1929.13	-2.26772	2.9	12	2013.54	2.31564	22.1
13	2013.21	-2.25248	5.1	13	1916.04	2.21563	9
13	1916.21	-2.25248	5.1	14	2011.88	2.17943	11.7
14	1979.04	-2.24143	2.6	15	1997.63	2.15704	21.6
15	1956.13	-2.21188	3	16	2006.71	2.12973	19.2
15	1942.13	-2.21188	3	17	1921.79	2.12548	15.6
16	1945.04	-2.18539	2.7	18	1975.63	2.09258	21.5
17	1927.96	-2.14016	3.5	19	1976.63	2.02766	21.4


Met Office areal data 1910 onwards. Annual cycle removed, values, skew and kurtosis normalised. No reference period adjustment.

Analysis: Tim Channon. Web: <http://daedalearth.wordpress.com/>. Plot: 2016 Jan 05. Data: <http://www.metoffice.gov.uk/climate/uk/summaries/datasets>


Standardised monthly maximum temperature, Region: Wales




Recent




Probability plot



Annual



Normalising function



Low Rank	Date	Z	Actual	High Rank	Date	Z	Actual
1	1947.13	-3.79244	-0.3	1	1995.63	3.13323	23.4
2	1963.04	-3.5281	0.2	2	2011.29	2.95767	15.8
3	1986.13	-3.13745	1.2	3	2007.29	2.90611	15.7
4	1963.13	-2.81282	1.9	4	1983.54	2.84587	23.1
5	2010.96	-2.61732	3	5	2006.54	2.79359	23
6	1941.04	-2.56233	2.3	6	2015.96	2.73496	11.4
7	1940.04	-2.41305	2.6	7	1947.63	2.72049	22.6
8	1933.96	-2.36871	3.5	8	1948.21	2.47357	12.3
8	1950.96	-2.36871	3.5	9	2013.54	2.47202	22.4
9	1917.04	-2.36249	2.7	10	1976.63	2.45079	22.1
10	1956.13	-2.32116	2.9	11	1921.54	2.36155	22.2
11	1972.46	-2.30184	13.6	12	2012.21	2.30723	12
12	1927.96	-2.26641	3.7	13	1921.79	2.3067	16.3
13	1919.88	-2.2293	5.7	14	1955.63	2.28389	21.8
14	1912.63	-2.22881	15	15	1998.13	2.23909	9.8
15	1929.13	-2.21802	3.1	16	1940.46	2.20368	20.4
16	1981.96	-2.21459	3.8	17	1957.21	2.19399	11.8
17	1969.13	-2.16576	3.2	18	1989.54	2.07709	21.7
17	1979.13	-2.16576	3.2	18	1911.54	2.07709	21.7
18	1915.88	-2.07136	6	18	1934.54	2.07709	21.7

Met Office areal data 1910 onwards. Annual cycle removed, values, skew and kurtosis normalised. No reference period adjustment.

Analysis: Tim Channon. Web: <http://daedaleearth.wordpress.com/>. Plot: 2016 Jan 05. Data: <http://www.metoffice.gov.uk/climate/uk/summaries/datasets>