




Standardised monthly mean temperature, Region: East Anglia




Recent




Probability plot



Annual



Normalising function




Low Rank	Date	Z	Actual	High Rank	Date	Z	Actual
1	1947.13	-3.34549	-2.2	1	2015.96	3.65968	10
2	1963.04	-3.28184	-2.3	2	2006.54	2.72959	20.5
3	1986.13	-2.97882	-1.3	3	2011.29	2.67823	12.1
3	1963.13	-2.97882	-1.3	4	1990.13	2.58429	7.6
4	1940.04	-2.95394	-1.5	5	2006.71	2.49043	17.7
5	1956.13	-2.89471	-1.1	6	1997.63	2.41595	19.9
6	1929.13	-2.67961	-0.6	7	1934.96	2.389	7.8
7	2010.96	-2.64359	0	8	2007.04	2.37491	7
8	1979.04	-2.565	-0.6	9	1921.04	2.37491	7
9	1981.96	-2.5549	0.2	10	2001.79	2.33662	13.9
10	1942.13	-2.50196	-0.2	11	1938.21	2.29992	9.1
11	1942.04	-2.24378	0.1	12	2002.13	2.27495	7.1
12	1950.96	-2.23307	0.9	12	1945.13	2.27495	7.1
13	1945.04	-2.19628	0.2	13	2005.79	2.27376	13.8
14	1919.88	-2.19583	3.1	14	1974.96	2.26363	7.6
15	1962.21	-2.15785	2.5	15	1994.88	2.2499	9.7
16	1985.04	-2.14832	0.3	16	1916.04	2.24931	6.8
17	1923.88	-2.14787	3.2	17	2007.29	2.24693	11.4
18	1933.96	-2.1374	1.1	18	1949.71	2.24094	17.3
19	1919.79	-2.12965	7.3	19	1976.46	2.21699	17.6


Met Office areal data 1910 onwards. Annual cycle removed, values, skew and kurtosis normalised. No reference period adjustment.

Analysis: Tim Channon. Web: <http://daedalearth.wordpress.com/>. Plot: 2016 Jan 05. Data: <http://www.metoffice.gov.uk/climate/uk/summaries/datasets>


Standardised monthly mean temperature, Region: England




Recent




Probability plot



Annual



Normalising function




Low Rank	Date	Z	Actual	High Rank	Date	Z	Actual
1	1963.04	-3.3522	-2.3	1	2015.96	3.53089	9.4
2	1947.13	-3.3015	-2	2	2011.29	2.78306	11.6
3	1986.13	-3.00746	-1.3	3	2006.54	2.63637	19.3
4	1940.04	-2.9746	-1.4	4	1990.13	2.47293	7.1
5	1963.13	-2.96442	-1.2	5	1916.04	2.45757	6.9
6	2010.96	-2.8647	-0.4	6	2007.29	2.39831	11
7	1956.13	-2.74489	-0.7	7	1994.88	2.39336	9.5
8	1981.96	-2.59595	0.2	8	2006.71	2.36355	16.5
9	1979.04	-2.52813	-0.4	9	1934.96	2.36105	7.5
10	1942.13	-2.51719	-0.2	10	1938.21	2.35607	8.7
11	1929.13	-2.47055	-0.1	11	1998.13	2.34172	6.9
12	1945.04	-2.29126	0.1	12	2007.04	2.32611	6.7
13	1950.96	-2.2656	0.9	13	1921.04	2.32611	6.7
14	1919.88	-2.24165	2.9	14	2001.79	2.29792	13.1
15	1941.04	-2.19341	0.3	15	1957.21	2.28975	8.6
16	1915.88	-2.19247	3	16	2011.88	2.2608	9.3
16	1923.88	-2.19247	3	17	1983.54	2.24438	18.7
17	1969.13	-2.18174	0.5	18	1974.96	2.22792	7.3
18	1962.21	-2.17098	2.3	19	1995.63	2.22539	18.5
19	1987.04	-2.09355	0.5	19	1997.63	2.22539	18.5


Met Office areal data 1910 onwards. Annual cycle removed, values, skew and kurtosis normalised. No reference period adjustment.

Analysis: Tim Channon. Web: <http://daedalearth.wordpress.com/>. Plot: 2016 Jan 05. Data: <http://www.metoffice.gov.uk/climate/uk/summaries/datasets>


Standardised monthly mean temperature, Region: England and Wales




Recent




Probability plot



Annual



Normalising function




Low Rank	Date	Z	Actual	High Rank	Date	Z	Actual
1	1963.04	-3.38257	-2.3	1	2015.96	3.48425	9.3
2	1947.13	-3.31947	-2	2	2011.29	2.78897	11.5
3	1986.13	-3.06642	-1.4	3	2006.54	2.62002	19.1
4	1963.13	-2.98004	-1.2	4	1916.04	2.46445	6.9
5	1940.04	-2.9595	-1.3	5	1990.13	2.43323	7
6	2010.96	-2.89959	-0.4	6	1994.88	2.41695	9.5
7	1956.13	-2.71391	-0.6	7	2007.29	2.39874	10.9
8	1981.96	-2.58387	0.3	8	1998.13	2.36663	6.9
9	1979.04	-2.5078	-0.3	9	1934.96	2.3559	7.5
10	1942.13	-2.48296	-0.1	10	1957.21	2.33818	8.6
11	1929.13	-2.43563	0	11	1921.04	2.33122	6.7
12	1945.04	-2.26798	0.2	12	2006.71	2.32043	16.3
13	1919.88	-2.25408	2.9	13	1983.54	2.28927	18.6
13	1915.88	-2.25408	2.9	14	2001.79	2.28545	13
14	1950.96	-2.24989	1	15	2011.88	2.2829	9.3
15	1941.04	-2.21867	0.3	16	1995.63	2.2746	18.4
16	1969.13	-2.19242	0.5	17	1938.21	2.27077	8.5
17	1962.21	-2.16367	2.3	18	2007.04	2.26374	6.6
18	1923.88	-2.15467	3.1	19	1974.96	2.22079	7.3
19	1985.04	-2.11854	0.5	20	2015.88	2.215	9.2


Met Office areal data 1910 onwards. Annual cycle removed, values, skew and kurtosis normalised. No reference period adjustment.

Analysis: Tim Channon. Web: <http://daedalearth.wordpress.com/>. Plot: 2016 Jan 05. Data: <http://www.metoffice.gov.uk/climate/uk/summaries/datasets>


Standardised monthly mean temperature, Region: England E and NE




Recent




Probability plot



Annual



Normalising function




Low Rank	Date	Z	Actual	High Rank	Date	Z	Actual
1	1947.13	-3.1806	-2	1	2015.96	3.28639	8
2	1963.13	-3.03842	-1.7	2	1998.13	2.91505	7
3	2010.96	-3.01768	-1.2	3	1938.21	2.9144	8.7
4	1940.04	-2.95517	-1.8	4	2011.29	2.78691	10.7
5	1981.96	-2.92148	-1	5	2006.54	2.65274	18.4
6	1986.13	-2.89406	-1.4	6	1916.04	2.61596	6.3
7	1963.04	-2.76036	-1.4	7	2006.71	2.50016	15.8
8	1979.04	-2.61126	-1.1	8	2001.79	2.46289	12.5
9	1929.13	-2.5476	-0.7	9	2007.29	2.43163	10.2
10	1956.13	-2.49686	-0.6	10	1990.13	2.3476	6.2
11	1942.13	-2.44578	-0.5	11	2007.04	2.32839	5.9
12	1969.13	-2.34254	-0.3	12	1945.13	2.27468	6.1
13	1950.96	-2.26758	0.3	13	2012.21	2.27399	7.8
14	1910.88	-2.24721	2.3	14	2011.88	2.26155	8.5
15	1919.88	-2.24721	2.3	15	1994.88	2.26155	8.5
16	1941.04	-2.19879	-0.3	16	1934.96	2.23318	6.5
17	1947.21	-2.18524	1.7	16	1974.96	2.23318	6.5
18	1962.21	-2.18524	1.7	17	1961.21	2.20057	7.7
19	1955.13	-2.18474	0	17	1957.21	2.20057	7.7
20	1945.04	-2.14546	-0.2	18	1988.96	2.15948	6.4


Met Office areal data 1910 onwards. Annual cycle removed, values, skew and kurtosis normalised. No reference period adjustment.

Analysis: Tim Channon. Web: <http://daedalearth.wordpress.com/>. Plot: 2016 Jan 05. Data: <http://www.metoffice.gov.uk/climate/uk/summaries/datasets>


Standardised monthly mean temperature, Region: England N




Recent




Probability plot



Annual



Normalising function




Low Rank	Date	Z	Actual	High Rank	Date	Z	Actual
1	1947.13	-3.1921	-2.1	1	2015.96	3.22966	8
2	1940.04	-3.0464	-2	2	1998.13	2.9115	7
3	2010.96	-3.01788	-1.2	3	2011.29	2.78716	10.7
4	1963.13	-3.00448	-1.7	4	1938.21	2.65823	8.3
5	1981.96	-2.92276	-1	5	2006.54	2.65428	18.3
6	1986.13	-2.8612	-1.4	6	1916.04	2.64309	6.4
7	1963.04	-2.85574	-1.6	7	2006.71	2.42958	15.6
8	1979.04	-2.56146	-1	8	2001.79	2.42891	12.4
9	1942.13	-2.51702	-0.7	9	2007.29	2.3656	10.1
10	1929.13	-2.46658	-0.6	10	1934.96	2.33178	6.7
11	1956.13	-2.41579	-0.5	11	1994.88	2.31958	8.6
12	1969.13	-2.36463	-0.4	12	2012.21	2.30397	7.8
13	1941.04	-2.30724	-0.5	13	1957.21	2.30397	7.8
14	1910.88	-2.28473	2.2	14	2007.04	2.28833	5.9
15	1919.88	-2.28473	2.2	15	1990.13	2.28016	6.1
15	1915.88	-2.28473	2.2	16	1974.96	2.25972	6.6
16	1950.96	-2.2759	0.3	17	2011.88	2.24743	8.5
17	1945.04	-2.25526	-0.4	18	1988.96	2.18716	6.5
18	1947.21	-2.19145	1.6	19	1975.63	2.1679	17.4
19	1962.21	-2.13853	1.7	20	1997.63	2.1679	17.4


Met Office areal data 1910 onwards. Annual cycle removed, values, skew and kurtosis normalised. No reference period adjustment.

Analysis: Tim Channon. Web: <http://daedalearth.wordpress.com/>. Plot: 2016 Jan 05. Data: <http://www.metoffice.gov.uk/climate/uk/summaries/datasets>


Standardised monthly mean temperature, Region: England NW and N Wales




Recent




Probability plot



Annual



Normalising function




Low Rank	Date	Z	Actual	High Rank	Date	Z	Actual
1	1947.13	-3.34762	-2.2	1	2015.96	3.14848	8.3
2	1963.04	-3.18112	-1.9	2	1998.13	2.73545	7
3	2010.96	-3.06805	-0.9	3	2011.29	2.66959	10.6
4	1940.04	-2.99738	-1.5	4	1916.04	2.64625	6.8
5	1986.13	-2.93669	-1.3	5	1957.21	2.56806	8.3
6	1963.13	-2.93669	-1.3	6	2006.54	2.5399	17.9
7	1981.96	-2.78694	-0.3	7	1994.88	2.47012	9.1
8	1915.88	-2.59404	1.9	8	1995.63	2.39652	17.5
9	1941.04	-2.51828	-0.5	9	1934.96	2.32973	7.1
10	1979.04	-2.46855	-0.4	10	1983.54	2.32907	17.6
11	1942.13	-2.45347	-0.3	11	2007.29	2.32034	10.1
12	1956.13	-2.40324	-0.2	12	2012.21	2.28674	7.9
13	1969.13	-2.35262	-0.1	13	2001.79	2.27192	12.3
14	1945.04	-2.31703	-0.1	14	1990.13	2.24626	6.3
15	1919.88	-2.29336	2.5	15	2007.04	2.2246	6.2
16	1925.88	-2.24182	2.6	16	1921.04	2.2246	6.2
17	1950.96	-2.24133	0.8	17	1938.21	2.21511	7.8
18	1962.21	-2.16861	1.8	18	2006.71	2.19474	15.2
19	1929.13	-2.14582	0.3	19	1988.96	2.18657	6.9
20	2013.21	-2.11595	1.9	20	2011.88	2.18589	8.7


Met Office areal data 1910 onwards. Annual cycle removed, values, skew and kurtosis normalised. No reference period adjustment.

Analysis: Tim Channon. Web: <http://daedalearth.wordpress.com/>. Plot: 2016 Jan 05. Data: <http://www.metoffice.gov.uk/climate/uk/summaries/datasets>


Standardised monthly mean temperature, Region: England S




Recent




Probability plot



Annual



Normalising function




Low Rank	Date	Z	Actual	High Rank	Date	Z	Actual
1	1963.04	-3.53368	-2.6	1	2015.96	3.61153	10.1
2	1947.13	-3.3241	-1.9	2	2011.29	2.71025	12
3	1986.13	-3.08544	-1.3	3	2006.54	2.64148	19.9
4	1940.04	-2.93967	-1.1	4	1990.13	2.51828	7.6
5	1963.13	-2.92126	-0.9	5	1994.88	2.42242	10
6	1956.13	-2.87951	-0.8	6	2007.29	2.40416	11.5
7	2010.96	-2.79312	0	7	1916.04	2.3663	7.2
8	1979.04	-2.50918	-0.1	7	1921.04	2.3663	7.2
9	1942.13	-2.48927	0.1	8	1934.96	2.3342	7.9
10	1929.13	-2.44409	0.2	9	1983.54	2.33241	19.4
11	1981.96	-2.39634	0.9	10	2006.71	2.32346	17
12	1933.96	-2.30382	1.1	11	1957.21	2.30853	9.1
13	1945.04	-2.27997	0.4	12	1995.63	2.24966	19.1
14	1950.96	-2.25688	1.2	12	1997.63	2.24966	19.1
15	1923.88	-2.2377	3.2	13	2007.04	2.2394	7
16	1919.88	-2.19008	3.3	14	2001.79	2.23577	13.5
17	1985.04	-2.18511	0.6	15	2015.88	2.23275	9.7
18	1987.04	-2.18511	0.6	15	2011.88	2.23275	9.7
19	1915.88	-2.14195	3.4	16	1974.96	2.20669	7.7
20	1941.04	-2.13693	0.7	17	2002.13	2.20366	7.1


Met Office areal data 1910 onwards. Annual cycle removed, values, skew and kurtosis normalised. No reference period adjustment.

Analysis: Tim Channon. Web: <http://daedalearth.wordpress.com/>. Plot: 2016 Jan 05. Data: <http://www.metoffice.gov.uk/climate/uk/summaries/datasets>


Standardised monthly mean temperature, Region: England SE and Central S




Recent




Probability plot



Annual



Normalising function




Low Rank	Date	Z	Actual	High Rank	Date	Z	Actual
1	1963.04	-3.56898	-2.7	1	2015.96	3.65478	10.5
2	1947.13	-3.20619	-1.6	2	2011.29	2.7617	12.4
3	1986.13	-3.08729	-1.3	3	1990.13	2.56924	7.9
4	1956.13	-2.96615	-1	4	2006.54	2.56813	20.2
5	1940.04	-2.94495	-1.1	5	1994.88	2.55868	10.5
6	1963.13	-2.92524	-0.9	6	2007.29	2.4691	11.9
7	2010.96	-2.68416	0.3	7	1983.54	2.38921	19.9
8	1942.13	-2.58725	-0.1	8	2011.88	2.31875	10.1
9	1929.13	-2.54351	0	9	1934.96	2.31472	8.1
10	1979.04	-2.43171	0.1	10	1995.63	2.29684	19.6
11	1933.96	-2.42111	0.9	11	2006.71	2.28007	17.3
12	1945.04	-2.34114	0.3	12	2002.13	2.26847	7.4
13	1985.04	-2.29522	0.4	13	2015.88	2.25745	10
14	1950.96	-2.28432	1.2	14	2007.04	2.23882	7.2
15	1923.88	-2.28126	3.2	15	1921.04	2.23882	7.2
16	1987.04	-2.24885	0.5	15	1916.04	2.23882	7.2
17	1981.96	-2.23784	1.3	16	2001.79	2.21431	13.8
18	1919.88	-2.18778	3.4	17	1957.21	2.20787	9.2
19	1942.04	-2.1547	0.7	18	1997.63	2.17325	19.4
20	1915.88	-2.14032	3.5	19	2006.79	2.15203	13.7


Met Office areal data 1910 onwards. Annual cycle removed, values, skew and kurtosis normalised. No reference period adjustment.

Analysis: Tim Channon. Web: <http://daedalearth.wordpress.com/>. Plot: 2016 Jan 05. Data: <http://www.metoffice.gov.uk/climate/uk/summaries/datasets>


Standardised monthly mean temperature, Region: England SW and S Wales




Recent




Probability plot



Annual



Normalising function




Low Rank	Date	Z	Actual	High Rank	Date	Z	Actual
1	1963.04	-3.72516	-2.4	1	2015.96	3.42471	10
2	1947.13	-3.32674	-1.4	2	1983.54	2.73384	19
3	1986.13	-3.12829	-0.9	3	2011.29	2.70978	11.5
4	2010.96	-2.98231	0.3	4	1995.63	2.61085	18.7
5	1963.13	-2.88032	-0.3	5	2007.29	2.52008	11.2
6	1956.13	-2.83783	-0.2	6	1957.21	2.51463	9.2
7	1940.04	-2.68822	0.2	7	1994.88	2.49582	10.2
8	1933.96	-2.54916	1.3	8	2006.54	2.35008	18.4
9	1979.04	-2.41628	0.8	9	1934.96	2.32952	8.2
10	1942.13	-2.39062	0.8	10	1921.04	2.32202	7.4
11	1919.88	-2.33795	3.5	10	1916.04	2.32202	7.4
11	1915.88	-2.33795	3.5	11	2011.88	2.29947	9.9
12	1945.04	-2.27366	1.1	12	1990.13	2.29194	7.3
13	1985.04	-2.27366	1.1	13	2015.88	2.23259	9.8
14	1923.88	-2.24159	3.7	14	1947.63	2.21924	18.1
15	1950.96	-2.21945	2	15	2006.71	2.10428	16
16	1962.21	-2.17807	2.8	16	1961.13	2.08869	7
17	1917.04	-2.17573	1.3	16	1926.13	2.08869	7
18	1987.04	-2.17573	1.3	17	2001.79	2.08348	13
19	1917.13	-2.14851	1.3	18	1911.63	2.08283	17.9


Met Office areal data 1910 onwards. Annual cycle removed, values, skew and kurtosis normalised. No reference period adjustment.

Analysis: Tim Channon. Web: <http://daedalearth.wordpress.com/>. Plot: 2016 Jan 05. Data: <http://www.metoffice.gov.uk/climate/uk/summaries/datasets>


Standardised monthly mean temperature, Region: Midlands




Recent




Probability plot



Annual



Normalising function




Low Rank	Date	Z	Actual	High Rank	Date	Z	Actual
1	1947.13	-3.35349	-2.6	1	2015.96	3.50666	9.3
2	1963.04	-3.32158	-2.7	2	2006.54	2.73118	19.6
3	1940.04	-3.07854	-2.1	3	2011.29	2.72946	11.6
4	1986.13	-3.02905	-1.8	4	1916.04	2.51463	6.9
5	1963.13	-2.94566	-1.6	5	1998.13	2.46437	7
6	2010.96	-2.87966	-0.9	5	1990.13	2.46437	7
7	1981.96	-2.70805	-0.5	6	1994.88	2.35872	9.3
8	1956.13	-2.60132	-0.8	7	1983.54	2.35752	19
9	1979.04	-2.52109	-0.8	8	2007.29	2.35571	11
10	1929.13	-2.5122	-0.6	9	2006.71	2.33827	16.4
11	1942.13	-2.46713	-0.5	10	2007.04	2.32501	6.6
12	1941.04	-2.2924	-0.3	11	1921.04	2.32501	6.6
13	1915.88	-2.22054	2.5	12	1934.96	2.30992	7.3
14	1950.96	-2.20936	0.6	13	1974.96	2.30992	7.3
15	1945.04	-2.19816	-0.1	14	1957.21	2.30448	8.6
16	1969.13	-2.18873	0.1	14	1938.21	2.30448	8.6
17	1919.88	-2.17298	2.6	15	1997.63	2.27842	18.6
18	1923.88	-2.17298	2.6	16	2001.79	2.26932	12.9
19	1910.88	-2.12496	2.7	17	1995.63	2.21385	18.5
20	1962.21	-2.11767	2.1	18	1945.13	2.20896	6.6


Met Office areal data 1910 onwards. Annual cycle removed, values, skew and kurtosis normalised. No reference period adjustment.

Analysis: Tim Channon. Web: <http://daedalearth.wordpress.com/>. Plot: 2016 Jan 05. Data: <http://www.metoffice.gov.uk/climate/uk/summaries/datasets>


Standardised monthly mean temperature, Region: Northern Ireland




Recent




Probability plot



Annual



Normalising function




Low Rank	Date	Z	Actual	High Rank	Date	Z	Actual
1	2010.96	-3.68629	-0.7	1	1998.13	2.94731	7.5
2	1947.13	-3.31584	-0.5	2	2011.29	2.87891	10.6
3	1963.04	-3.08954	-0.3	3	1995.63	2.78271	17.1
4	1986.13	-2.72386	0.5	4	1938.21	2.69104	8.5
5	1979.04	-2.60824	0.5	5	2007.29	2.5625	10.2
6	1963.13	-2.60126	0.7	6	2013.54	2.55797	17
7	1969.13	-2.53935	0.8	7	1957.21	2.45094	8.2
8	1945.04	-2.48408	0.7	7	1945.21	2.45094	8.2
9	1950.96	-2.44685	1.4	8	1945.13	2.39132	6.8
10	1919.88	-2.43025	3	9	1947.63	2.38288	16.6
11	1985.04	-2.42134	0.8	10	1994.88	2.37061	8.8
12	1912.63	-2.42075	10.8	11	2012.21	2.36984	8.1
13	1922.29	-2.40648	4.2	12	1961.21	2.36984	8.1
14	1941.04	-2.35814	0.9	13	1934.96	2.3491	7.2
15	1981.96	-2.32034	1.6	14	1988.96	2.3491	7.2
16	1947.21	-2.30409	2.5	15	2006.54	2.31521	16.7
17	1923.88	-2.30349	3.2	16	2011.88	2.28896	8.7
18	1955.13	-2.2872	1.2	17	1969.79	2.28587	11.9
19	1981.79	-2.24179	6.5	18	1961.13	2.22773	6.6
20	1917.29	-2.21502	4.5	19	1989.04	2.2184	6.4


Met Office areal data 1910 onwards. Annual cycle removed, values, skew and kurtosis normalised. No reference period adjustment.

Analysis: Tim Channon. Web: <http://daedalearth.wordpress.com/>. Plot: 2016 Jan 05. Data: <http://www.metoffice.gov.uk/climate/uk/summaries/datasets>


Standardised monthly mean temperature, Region: Scotland




Recent




Probability plot



Annual



Normalising function




Low Rank	Date	Z	Actual	High Rank	Date	Z	Actual
1	1947.13	-3.33609	-2.4	1	1998.13	3.26561	6.3
2	2010.96	-3.31649	-1.8	2	1989.04	2.95334	5.8
3	1981.96	-2.68419	-0.7	3	2012.21	2.82041	7.1
4	1986.13	-2.64575	-1.2	4	2011.29	2.81354	9.1
5	1963.13	-2.64575	-1.2	5	1938.21	2.73941	7
6	1947.21	-2.62061	0.2	6	2007.29	2.65112	8.9
7	1919.88	-2.58588	1.1	7	2011.88	2.62416	7.7
8	1955.13	-2.52681	-1	8	1961.21	2.49414	6.7
9	1945.04	-2.52229	-1.1	9	1994.88	2.45993	7.5
9	1941.04	-2.52229	-1.1	10	1945.21	2.41159	6.6
10	1963.04	-2.52229	-1.1	11	2001.79	2.41003	10.7
11	1940.04	-2.4623	-1	12	1988.96	2.40535	5.8
12	1979.04	-2.4623	-1	13	1916.04	2.38268	5.1
13	1969.13	-2.40652	-0.8	14	2006.54	2.35293	15.6
14	1950.96	-2.32457	-0.1	15	1947.63	2.33176	15.4
15	1910.88	-2.2842	1.6	16	1957.21	2.32861	6.5
16	1915.88	-2.22274	1.7	17	1971.96	2.32234	5.7
17	1981.79	-2.19828	5	18	2006.71	2.24994	13.3
18	1917.79	-2.19828	5	19	1995.63	2.24836	15.3
19	1937.21	-2.13506	1	20	1969.79	2.24363	10.5


Met Office areal data 1910 onwards. Annual cycle removed, values, skew and kurtosis normalised. No reference period adjustment.

Analysis: Tim Channon. Web: <http://daedalearth.wordpress.com/>. Plot: 2016 Jan 05. Data: <http://www.metoffice.gov.uk/climate/uk/summaries/datasets>


Standardised monthly mean temperature, Region: Scotland E




Recent




Probability plot



Annual



Normalising function




Low Rank	Date	Z	Actual	High Rank	Date	Z	Actual
1	2010.96	-3.22833	-2.6	1	1998.13	3.36236	6.3
2	1947.13	-3.20394	-3	2	1938.21	3.01326	7.3
3	1963.13	-2.79764	-2.2	3	1989.04	2.94845	5.5
4	1947.21	-2.79519	-0.7	4	2012.21	2.86972	7.1
5	1981.96	-2.77116	-1.7	5	2011.29	2.74866	9.1
6	1986.13	-2.64055	-1.9	6	1961.21	2.65138	6.8
7	1941.04	-2.58	-2	7	2007.29	2.60211	8.9
7	1940.04	-2.58	-2	8	2011.88	2.57844	7.4
8	1919.88	-2.53114	0.5	9	1988.96	2.53795	5.6
9	1955.13	-2.48045	-1.6	10	1971.96	2.46361	5.5
10	1945.04	-2.41868	-1.7	11	2001.79	2.4601	10.7
11	1963.04	-2.41868	-1.7	12	1916.04	2.43614	4.8
12	1969.13	-2.37188	-1.4	13	2006.54	2.36542	16
13	1979.04	-2.36414	-1.6	14	1994.88	2.35476	7.1
14	1950.96	-2.28888	-0.8	15	2015.96	2.31349	5.3
15	1937.21	-2.20332	0.4	16	1945.21	2.27851	6.3
16	1915.88	-2.20279	1.1	17	1969.79	2.23409	10.4
16	1910.88	-2.20279	1.1	18	2006.71	2.16207	13.3
17	1978.13	-2.14977	-1	19	1924.96	2.16134	5.1
18	1981.79	-2.12362	4.7	20	1934.96	2.16134	5.1


Met Office areal data 1910 onwards. Annual cycle removed, values, skew and kurtosis normalised. No reference period adjustment.

Analysis: Tim Channon. Web: <http://daedalearth.wordpress.com/>. Plot: 2016 Jan 05. Data: <http://www.metoffice.gov.uk/climate/uk/summaries/datasets>


Standardised monthly mean temperature, Region: Scotland N




Recent




Probability plot



Annual



Normalising function




Low Rank	Date	Z	Actual	High Rank	Date	Z	Actual
1	1947.13	-3.36197	-2.3	1	1998.13	3.22566	6.1
2	2010.96	-3.29008	-1.6	2	1989.04	2.94327	5.7
3	1955.13	-2.74331	-1.3	3	2011.29	2.86782	8.8
4	1945.04	-2.64076	-1.2	4	2012.21	2.73942	6.8
5	1986.13	-2.61681	-1.1	5	2007.29	2.6986	8.6
6	1981.96	-2.60542	-0.5	6	1938.21	2.6545	6.7
7	1919.88	-2.58682	1.1	7	2011.88	2.59182	7.5
8	1947.21	-2.5399	0.3	8	1945.21	2.56929	6.6
9	1969.13	-2.48921	-0.9	9	2006.54	2.41899	15.1
10	1963.04	-2.44925	-0.9	10	1947.63	2.40764	15
11	1979.04	-2.44925	-0.9	11	1961.21	2.3979	6.4
12	1963.13	-2.36043	-0.7	12	1957.21	2.3979	6.4
13	1941.04	-2.32009	-0.7	13	1932.04	2.34753	5
14	1981.79	-2.28759	4.7	14	2006.71	2.34102	13
15	1950.96	-2.28391	0	15	1994.88	2.33451	7.2
16	1969.88	-2.26486	1.6	16	1934.96	2.30927	5.6
17	1926.79	-2.22235	4.8	17	1971.96	2.30927	5.6
18	1917.79	-2.22235	4.8	18	1988.96	2.30927	5.6
19	1962.21	-2.2168	0.8	19	2001.79	2.30438	10.3
20	1985.88	-2.1995	1.7	20	2003.29	2.27013	8.1


Met Office areal data 1910 onwards. Annual cycle removed, values, skew and kurtosis normalised. No reference period adjustment.

Analysis: Tim Channon. Web: <http://daedalearth.wordpress.com/>. Plot: 2016 Jan 05. Data: <http://www.metoffice.gov.uk/climate/uk/summaries/datasets>


Standardised monthly mean temperature, Region: Scotland W




Recent




Probability plot



Annual



Normalising function




Low Rank	Date	Z	Actual	High Rank	Date	Z	Actual
1	1947.13	-3.35854	-1.9	1	1998.13	3.12707	6.7
2	2010.96	-3.32133	-1.2	2	2011.29	2.7398	9.6
3	1940.04	-2.85324	-1.1	3	1989.04	2.72305	6.1
4	1963.13	-2.7922	-0.9	4	2012.21	2.70473	7.5
5	1981.96	-2.75333	-0.2	5	1947.63	2.5529	16.2
6	1941.04	-2.67907	-0.8	6	2011.88	2.52438	8.2
7	1963.04	-2.62041	-0.7	7	1994.88	2.52438	8.2
8	1986.13	-2.61708	-0.6	8	2007.29	2.4958	9.3
9	1919.88	-2.58763	1.7	9	1916.04	2.47879	5.8
10	1910.88	-2.52847	1.8	10	1938.21	2.4602	7.2
11	1945.04	-2.50213	-0.5	11	1988.96	2.45633	6.5
12	1915.88	-2.46897	1.9	12	2001.79	2.3981	11.3
13	1947.21	-2.45601	1	13	1995.63	2.38875	16
14	1979.04	-2.44247	-0.4	14	1957.21	2.37787	7.1
15	1950.96	-2.39891	0.4	15	1969.79	2.31543	11.2
16	1969.13	-2.31863	-0.1	16	1961.21	2.29509	7
17	1955.13	-2.25783	0	17	1924.96	2.29118	6.3
18	1981.79	-2.19894	5.6	18	2015.96	2.29118	6.3
19	1917.79	-2.13731	5.7	19	1934.96	2.20793	6.2
20	1992.79	-2.13731	5.7	20	1971.96	2.20793	6.2


Met Office areal data 1910 onwards. Annual cycle removed, values, skew and kurtosis normalised. No reference period adjustment.

Analysis: Tim Channon. Web: <http://daedalearth.wordpress.com/>. Plot: 2016 Jan 05. Data: <http://www.metoffice.gov.uk/climate/uk/summaries/datasets>


Standardised monthly mean temperature, Region: UK




Recent




Probability plot



Annual



Normalising function




Low Rank	Date	Z	Actual	High Rank	Date	Z	Actual
1	1947.13	-3.3669	-2	1	2015.96	3.14939	7.9
2	1963.04	-3.20782	-1.8	2	2011.29	2.91803	10.7
3	2010.96	-3.12541	-0.9	3	1998.13	2.78756	6.8
4	1986.13	-2.98103	-1.2	4	2006.54	2.5956	17.8
5	1963.13	-2.93158	-1.1	5	2007.29	2.55216	10.2
6	1940.04	-2.86486	-1.1	6	1916.04	2.5177	6.3
7	1981.96	-2.62577	0.1	7	1938.21	2.49726	8
8	1979.04	-2.55875	-0.5	8	1994.88	2.49584	8.8
9	1956.13	-2.4717	-0.2	9	1957.21	2.42218	7.9
10	1919.88	-2.41623	2.3	10	1934.96	2.42075	6.9
11	1945.04	-2.40065	-0.2	11	2011.88	2.42075	8.7
12	1941.04	-2.34711	-0.1	12	2001.79	2.40296	12.2
13	1969.13	-2.3115	0.1	13	1995.63	2.35299	17.3
14	1950.96	-2.30895	0.7	14	2006.71	2.34798	15.2
15	1942.13	-2.2572	0.2	15	2012.21	2.27035	7.7
16	1915.88	-2.25463	2.6	16	1983.54	2.21825	17.3
17	1955.13	-2.2024	0.3	17	2007.04	2.21462	5.9
17	1929.13	-2.2024	0.3	18	1997.63	2.20009	17.1
18	1962.21	-2.19877	1.9	19	1988.96	2.19209	6.6
19	1923.88	-2.14449	2.8	20	1989.04	2.13738	5.8


Met Office areal data 1910 onwards. Annual cycle removed, values, skew and kurtosis normalised. No reference period adjustment.

Analysis: Tim Channon. Web: <http://daedalearth.wordpress.com/>. Plot: 2016 Jan 05. Data: <http://www.metoffice.gov.uk/climate/uk/summaries/datasets>


Standardised monthly mean temperature, Region: Wales




Recent




Probability plot



Annual



Normalising function



Low Rank	Date	Z	Actual	High Rank	Date	Z	Actual
1	1963.04	-3.54075	-2.5	1	2015.96	3.2938	9.1
2	1947.13	-3.43464	-2.3	2	2011.29	2.73204	10.9
3	1986.13	-3.06585	-1.4	3	1995.63	2.64963	18
4	2010.96	-3.05909	-0.5	4	1957.21	2.63291	8.7
5	1963.13	-2.98098	-1.2	5	1983.54	2.61369	18.1
6	1940.04	-2.79345	-0.7	6	1994.88	2.52497	9.6
7	1956.13	-2.62876	-0.4	7	1916.04	2.47642	7
8	1981.96	-2.48314	0.8	8	2006.54	2.41355	17.8
9	1941.04	-2.47564	0	9	2007.29	2.40078	10.4
10	1915.88	-2.44152	2.6	10	1998.13	2.38734	6.8
11	1979.04	-2.38112	0.2	11	1990.13	2.31916	6.7
12	1933.96	-2.34089	1.1	12	1921.04	2.27248	6.7
13	1919.88	-2.29803	2.9	13	1934.96	2.26141	7.5
14	1942.13	-2.25153	0.4	14	2007.04	2.20319	6.6
15	1969.13	-2.25153	0.4	15	2011.88	2.18412	9.1
16	1929.13	-2.20221	0.5	15	2015.88	2.18412	9.1
17	1950.96	-2.19425	1.4	16	1988.96	2.12192	7.3
18	1962.21	-2.1684	2.1	17	1911.63	2.10595	17.2
19	1925.88	-2.14997	3.2	18	1947.63	2.10595	17.2
20	1945.04	-2.13623	0.7	19	2012.21	2.08793	7.9

Met Office areal data 1910 onwards. Annual cycle removed, values, skew and kurtosis normalised. No reference period adjustment.

Analysis: Tim Channon. Web: <http://daedalearth.wordpress.com/>. Plot: 2016 Jan 05. Data: <http://www.metoffice.gov.uk/climate/uk/summaries/datasets>